



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/023,611

12/18/2001

Al Baker

5123-20

2909

48289

7590

01/30/2006

COHEN, PONTANI, LIEBERMAN & PAVANE
551 FIFTH AVENUE
SUITE 1210
NEW YORK, NY 10176

EXAMINER

WALSH, JOHN B

ART UNIT

PAPER NUMBER

2151

DATE MAILED: 01/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.		Applicant(s)	
	10/023,611		BAKER, AL	
	Examiner		Art Unit	
	John B. Walsh		2151	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1- 26 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 6,012,088 to Li et al.

As concerns claim 1, a method for configuring an endpoint device to a computer network, comprising the steps of: monitoring a dynamic allocation of a first unique network address to the endpoint device (column 3, line 28; column 6, lines 50-56) when the endpoint device is connected to the computer network (figure 1); establishing, in response to said monitoring, a connection between a configuration manager and the endpoint device (column 3, line 32-37); identifying, through said established connection, a class of the endpoint device connected to the network from said plurality of classes of endpoint devices (column 3, lines 64-65); retrieving configuration information from a configuration database (column 10, line 9) for the identified class of the endpoint device, the configuration database having specific configuration information for each of the plurality of classes of endpoint devices (column 9, line 50-column 10, line 10; column 3, lines 62-66; specific configuration data for the particular configuration is stored in the database); and configuring the endpoint device to the computer network using the retrieved configuration information (column 9, lines 54-55).

Art Unit: 2151

As concerns claim 2, the method according to claim 1, further comprising the step of: assigning to the endpoint device a second unique network address (inherent for dynamic addressing to assign a device a second address for a point in time) that is selected from a block of predetermined network addresses for the identified class of the endpoint device, to replace the first unique network address.

As concerns claim 3, the method according to claim 2, wherein the first unique network address is a first IP address allocated by a DHCP (Dynamic Host Configuration Protocol) server (column 8, line 28) and the second unique network address is a second IP address assigned by the configuration manager (column 9, line 38-59; administrator assigns address when initially given a range of addresses).

As concerns claim 4, the method according to claim 1, receiving, by the computer network from the endpoint device a request signal for assignment of a network address to the endpoint device (column 9, line 39-49); providing the first unique network address to the endpoint device in response to said request signal (column 3, lines 33-35; configuration includes a network address, column 9, line 54).

As concerns claim 5, the method according to claim 1, further comprising the steps of: transmitting a polling signal to the endpoint device when the endpoint device is connected to the network (column 3, lines 23-33; during automatic configuration process a polling signal may be used); receiving from the endpoint device a reply signal in response to the transmitted polling signal (column 9, lines 38-40, line 49, 51); and providing the first unique network address to the endpoint device in response to said reply signal (column 9, line 54).

Art Unit: 2151

As concerns claim 6, the method according to claim 1, wherein the endpoint device comprises a router (column 7, line 9; column 3, line 59) operatively connected to a second computer network for effecting a configuration of a plurality of computer networks.

As concerns claim 7, the method according to claim 1, wherein the endpoint device comprises a computer-controlled standalone device (column 6, lines 50-55).

As concerns claim 8, the method according to claim 2, wherein said assigning further comprises removing the first unique address from a listing of active addresses so as to reserve the first unique address for future use (inherent for dynamic address configuration).

As concerns claim 9, the method according to claim 1, further comprising the steps of: determining, prior to said establishing, whether communication between the computer network and the endpoint device can be established (user determines by having the correct hardware and communication connection); and if communication cannot be established, assigning to the endpoint device a second unique network address selected from a block of predetermined network addresses that are each reserved for an unknown device, to replace the first unique network address that had been allocated to the endpoint device (inherent for dynamic address configuration to assign a second address to replace a first address).

As concerns claim 10, the method according to claim 2, wherein the first unique network address is allocated to the endpoint device for a lease period, and further comprising the step of: modifying, with said assigning of the second unique network address to replace the first unique network address, the lease period of the endpoint device connected to the computer network (inherent for dynamic address configuration).

Art Unit: 2151

As concerns claim 11, the method according to claim 1, further comprising the steps of: determining whether adding of the endpoint device to the computer network exceeds a predetermined threshold number of endpoint devices to be connected to the network (user determines how they want to design their network and may already have a device performing a particular service); and if the predetermined threshold number is exceeded, restricting the endpoint device to be added as a router operatively connected to a different computer network (column 3, lines 38-44, device may be used as a router since other services are already established).

As concerns claim 12, a server computer for configuring an endpoint device for connection to a computer network, said server computer comprising: a network interface (inherent for a server to have a network interface); a configuration database (column 10, line 9) for storing configuration information for at least one class of the endpoint device; means for verifying a first unique network address provided via said network interface to an endpoint device connected to the computer network and for providing a signal indicative of said verifying (column 12, line 29, also inherent for DHCP to verify information assigned); a connection manager (ISP) operable for establishing, in response to the signal from said verifying means, communication between the computer network and the endpoint device; and a configuration manager operable for identifying a class of the endpoint device connected to the computer network from said plurality of classes of endpoint devices, for retrieving from said configuration database configuration information for the identified class of the endpoint device, the configuration database having specific configuration information for each of the plurality of classes of endpoint devices (column 9, line 50-column 10, line 10, column 3, lines 62-66;

Art Unit: 2151

specific configuration data for the particular configuration is stored in the database) and for automatically configuring the endpoint device to the computer network using the retrieved configuration information (column 3, line 34-37).

As concerns claim 13, the server computer according to claim 12, further comprising: a DHCP server (column 8, line 28) for assigning to the endpoint device a unique IP address as the first unique address.

As concerns claim 14, the server computer according to claim 12, wherein said configuration manager is operable to assign to the endpoint device a second unique network address selected from a network address within a block of predetermined addresses for the identified class of the endpoint device, wherein the second network address replaces the first network address (inherent for dynamic address configuration).

As concerns claim 15, the server computer according to claim 12, wherein said verifying means comprises a DHCP watchdog (column 24, lines 50-57, also inherent for DHCP to watch, perhaps via a timer, the status of an address).

As concerns claim 16, a computer readable medium having stored thereon a plurality of instructions which, when executed by a processor, cause the processor to perform the steps of: monitoring a dynamic allocation of a first unique network address to an endpoint device when the endpoint device is connected to a computer network (column 3, line 28, column 6, lines 50-56) the endpoint device being in one of a plurality of classes of endpoint devices; establishing, in response to said monitoring, a connection between a configuration manager (configuration server; column 3, line 34) and the endpoint device; identifying, through said established connection, a class (column 3, lines 64-65) of the endpoint device connected to the network

Art Unit: 2151

from said plurality of classes of endpoint devices; retrieving configuration information from a configuration database (column 10, line 9) for the identified class of the endpoint device; and configuring the endpoint device to the computer network using the retrieved configuration information (column 22, lines 63-66).

As concerns claim 17, the computer readable medium according to claim 16, further comprising the step of: assigning to the endpoint device a second unique network address that is selected from a block of predetermined network addresses for the identified class of the endpoint device, to replace the first unique network address (inherent for dynamic address configuration).

As concerns claim 18, the computer readable medium according to claim 17, wherein the first unique network address is a first IP address allocated by a DHCP (Dynamic Host Configuration Protocol) server (column 8, line 28) and the second unique network address is a second IP address assigned by the configuration manager (column 9, line 38-59, administrator assigns address from initially assigned range of addresses).

As concerns claim 19, the computer readable medium according to claim 16, wherein the endpoint device comprises a router (column 7, line 9, column 3, line 59) operatively connected to a second computer network for effecting a configuration of a plurality of computer networks.

As concerns claim 20, the computer readable medium according to claim 16, wherein the endpoint device comprises a computer-controlled standalone device (column 6, lines 50-55).

As concerns claims 21-23, wherein the plurality of classes include at least one of a router class (column 3, line 64).

Art Unit: 2151

As concerns claims 24-26, wherein each class of the plurality of classes of endpoints is a type of endpoint device (column 3, lines 64-65, router, gateway).

Response to Arguments

3. Applicant's arguments filed November 2, 2005 have been fully considered but they are not persuasive.

The applicant has argued that Li does not disclose the endpoint device being in one of a plurality of classes of endpoint devices. The applicant does not define the classes until claims 21-26. Claims 21-23 recite the class can include a router class. Li discloses the internet access device can be a router (column 3, lines 62-65) or a plurality of classes.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,


Art Unit: 2151

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John B. Walsh whose telephone number is 571-272-7063. The examiner can normally be reached on Monday-Wednesday from 5:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Zarni Maung can be reached on 571-272-3939. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


John B. Walsh
Primary Examiner
Art Unit 2151